



Lage der Ausschnittmaße zum Spülenunterschrank Position of the cut-out dimensions to sink cabinet

Abb. I / Picture I

Beispiel: Bemaßung bei Einbau von oben
Example: Dimensioning installation from above




Beispiel: Bemaßung bei Einbau von flächenbündigen Spülen
Example: Dimensioning installation of flushmount sinks



C = Abstand Aussenwand des Unterschranks zum Ausschnitt
Distance outside wall of sink cabinet to cut-out

Abb. II / Picture II



I / F = Abstand von Schnittpunkt Abtropffläche bei gewähltem C-Maß
Distance of intersection drainer at specified C-value

			Siehe Abb. / see picture		
			I	II	
Modell-Bezeichnung Model description	Material	Schrankbreite Cabinet width	C	I	F
ADIRA 45S	SILGRANIT®	45 cm	-4,5 mm	25 mm	
ADIRA 45S-F	SILGRANIT®	45 cm	-4,5 mm		33 mm
ADIRA 6S	SILGRANIT®	60 cm	-4,5 mm	25,5 mm	
ADIRA 6S-F	SILGRANIT®	60 cm	-4,5 mm		33,5 mm
ADIRA XL 6S	SILGRANIT®	60 cm	-4,5 mm	25 mm	
ADIRA XL 6S-F	SILGRANIT®	60 cm	-4,5 mm		33 mm
ANDANO 180-IF	Edelstahl (Stainless steel)	30 cm	-45,0 mm	-	-
ANDANO 340/180-IF	Edelstahl (Stainless steel)	60 cm	-12,5 mm	-	-
ANDANO 340/180-IF/A	Edelstahl (Stainless steel)	60 cm	-12,5 mm	-	-
ANDANO 340/340-IF	Edelstahl (Stainless steel)	80 cm	-32,5 mm	-	-
ANDANO 340/340-IF/A	Edelstahl (Stainless steel)	80 cm	-32,5 mm	-	-
ANDANO 340-IF	Edelstahl (Stainless steel)	40 cm	-15,0 mm	-	-
ANDANO 400/400-IF	Edelstahl (Stainless steel)	90 cm	-22,5 mm	-	-
ANDANO 400/400-IF/A	Edelstahl (Stainless steel)	90 cm	-22,5 mm	-	-
ANDANO 400-IF	Edelstahl (Stainless steel)	45 cm	-10,0 mm	-	-
ANDANO 400-IF/A	Edelstahl (Stainless steel)	45 cm	-10,0 mm	-	-
ANDANO 450-IF	Edelstahl (Stainless steel)	50 cm	-10,0 mm	-	-
ANDANO 500-IF	Edelstahl (Stainless steel)	60 cm	-35,0 mm	-	-
ANDANO 500-IF/A	Edelstahl (Stainless steel)	60 cm	-35,0 mm	-	-
ANDANO 700-IF	Edelstahl (Stainless steel)	80 cm	-35,0 mm	-	-
ANDANO 700-IF/A	Edelstahl (Stainless steel)	80 cm	-35,0 mm	-	-
ANDANO XL 6 S-IF	Edelstahl (Stainless steel)	60 cm	-7,0 mm	20 mm	21 mm
ANDANO XL 6 S-IF Compact	Edelstahl (Stainless steel)	60 cm	-7,0 mm	20 mm	21 mm
AXIA III 45 S	SILGRANIT®	45 cm	+10,0 mm	19 mm	-
AXIA III 45 S-F	SILGRANIT®	45 cm	+10,0 mm	-	24 mm
AXIA III 5 S	SILGRANIT®	50 cm	-15,5 mm	21 mm	-
AXIA III 5 S-F	SILGRANIT®	50 cm	-15,5 mm	-	26 mm
AXIA III 6 S	SILGRANIT®	60 cm	-15,0 mm	20 mm	-
AXIA III 6 S-F	SILGRANIT®	60 cm	-15,0 mm	-	25 mm
AXIA III XL 6 S	SILGRANIT®	60 cm	-15,0 mm	20 mm	-
AXIA III XL 6 S-F	SILGRANIT®	60 cm	-15,0 mm	-	25 mm
AXIS III 45 S-IF	Edelstahl (Stainless steel)	45 cm	+9,5 mm	21 mm	22 mm
AXIS III 5 S-IF	Edelstahl (Stainless steel)	50 cm	+16,0 mm	21 mm	22 mm
AXIS III 6 S-IF	Edelstahl (Stainless steel)	60 cm	+10,0 mm	21 mm	22 mm
CLARON 180-IF	Edelstahl (Stainless steel)	30 cm	-45,0 mm	-	-
CLARON 340/180-IF	Edelstahl (Stainless steel)	60 cm	-12,5 mm	-	-
CLARON 340/180-IF/A	Edelstahl (Stainless steel)	60 cm	-7,5 mm	-	-
CLARON 340-IF	Edelstahl (Stainless steel)	40 cm	-15,0 mm	-	-
CLARON 400/400-IF	Edelstahl (Stainless steel)	90 cm	-23,0 mm	-	-
CLARON 400/400-IF/A	Edelstahl (Stainless steel)	90 cm	-18,0 mm	-	-
CLARON 400-IF	Edelstahl (Stainless steel)	45 cm	-10,0 mm	-	-
CLARON 400-IF/A	Edelstahl (Stainless steel)	45 cm	-5,0 mm	-	-
CLARON 450-IF	Edelstahl (Stainless steel)	50 cm	-10,0 mm	-	-
CLARON 4S-IF	Edelstahl (Stainless steel)	40 cm	-10,0 mm	-	-
CLARON 5 S-IF	Edelstahl (Stainless steel)	50 cm	-5,0 mm	20 mm	21 mm
CLARON 500-IF	Edelstahl (Stainless steel)	60 cm	-35,0 mm	-	-
CLARON 500-IF/A	Edelstahl (Stainless steel)	60 cm	-30,0 mm	-	-
CLARON 550-IF	Edelstahl (Stainless steel)	60 cm	-10,0 mm	-	-
CLARON 550-IF/A	Edelstahl (Stainless steel)	60 cm	-5,0 mm	-	-

Modell-Bezeichnung Model description	Material	Schrankbreite Cabinet width	C	I	F
CLARON 700-IF	Edelstahl (Stainless steel)	80 cm	-35,0 mm	-	-
CLARON 700-IF/A	Edelstahl (Stainless steel)	80 cm	-30,0 mm	-	-
CLARON 8S-IF	Edelstahl (Stainless steel)	80 cm	+2,5 mm	20 mm	21 mm
CLARON XL 60-IF DampfgarPlus	Edelstahl (Stainless steel)	60 cm	-25 mm	-	-
CLARON XL 60-IF/A DampfgarPlus	Edelstahl (Stainless steel)	60 cm	-30 mm	-	-
CLASSIC 40 S	Edelstahl (Stainless steel)	40 cm	-6,5 mm	16 mm	-
CLASSIC Pro 45 S-IF	Edelstahl (Stainless steel)	45 cm	+7,0 mm	18 mm	19 mm
CLASSIC Pro 5 S-IF	Edelstahl (Stainless steel)	50 cm	+7,0 mm	17 mm	18 mm
CLASSIC Pro 6 S-IF	Edelstahl (Stainless steel)	60 cm	+4,0 mm	17 mm	18 mm
CLASSIMO 45 S-IF	Edelstahl (Stainless steel)	45 cm	+1,0 mm	16 mm	17 mm
CLASSIMO 6S-IF	Edelstahl (Stainless steel)	60 cm	0,0 mm	16 mm	17 mm
CLASSIMO XL 6S-IF	Edelstahl (Stainless steel)	60 cm	-27,0 mm	16 mm	17 mm
COLLECTIS 6 S	SILGRANIT®	60 cm	-5,0 mm	23 mm	-
DALAGO 45	SILGRANIT®	45 cm	-3,0 mm	-	-
DALAGO 45-F	SILGRANIT®	45 cm	-3,0 mm	-	-
DALAGO 5	SILGRANIT®	50 cm	-3,0 mm	-	-
DALAGO 5-F	SILGRANIT®	50 cm	-3,0 mm	-	-
DALAGO 6	SILGRANIT®	60 cm	-3,0 mm	-	-
DALAGO 6-F	SILGRANIT®	60 cm	-3,0 mm	-	-
BLANCODANA 45	Edelstahl (Stainless steel)	45 cm	+6,0 mm	-	-
BLANCODANA 6	Edelstahl (Stainless steel)	60 cm	-6,5 mm	-	-
BLANCODELTA-IF	Edelstahl (Stainless steel)	90x90 / 70 cm	mittig (central) / -6 mm	35 mm	36 mm
BLANCODELTA II	SILGRANIT®	90x90 / 80 cm	mittig (central) / -1 mm	29 mm	-
BLANCODELTA II - F	SILGRANIT®	90x90 / 80 cm	mittig (central) / -1 mm	-	36 mm
DINAS 45 S	Edelstahl (Stainless steel)	45 cm	+17,0 mm	11 mm	-
DINAS 6 S	Edelstahl (Stainless steel)	60 cm	+6,0 mm	11 mm	-
DINAS XL 6S	Edelstahl (Stainless steel)	60 cm	+6,0 mm	11 mm	-
DINAS XL 6S Compact	Edelstahl (Stainless steel)	60 cm	-17,0 mm	11 mm	-
DIVON II 45 S-IF	Edelstahl (Stainless steel)	45 cm	+10,0 mm	20 mm	21 mm
DIVON II 5 S-IF	Edelstahl (Stainless steel)	50 cm	+10,0 mm	20 mm	21 mm
DIVON II 6 S-IF	Edelstahl (Stainless steel)	60 cm	+6,0 mm	20 mm	21 mm
DIVON II 8 S-IF	Edelstahl (Stainless steel)	80 cm	+10,0 mm	20 mm	21 mm
DIVON II 8-IF	Edelstahl (Stainless steel)	80 cm	+20,0 mm	-	-
ELON 45 S	SILGRANIT®	45 cm	-16,0 mm	29 mm	-
ELON XL 6 S	SILGRANIT®	60 cm	-16,0 mm	29 mm	-
ELON XL 6 S-F	SILGRANIT®	60 cm	-16,0 mm	-	37 mm
ETAGON 500-IF	Edelstahl (Stainless steel)	50 cm	-35,0 mm	-	-
ETAGON 500-IF/A	Edelstahl (Stainless steel)	50 cm	-35,0 mm	-	-
ETAGON 500-U	Keramik (Ceramic)	60 cm	-55 mm	-	-
ETAGON 700-IF	Edelstahl (Stainless steel)	80 cm	-35,0 mm	-	-
ETAGON 700-IF/A	Edelstahl (Stainless steel)	80 cm	-35,0 mm	-	-
ETAGON 6	Keramik (Ceramic)	60 cm	-19 mm	-	-
ETAGON 500-F	SILGRANIT®	60 cm	-40,5 mm	-	-
ETAGON 6	SILGRANIT®	60 cm	-6 mm	-	-
ETAGON 6-F	SILGRANIT®	60 cm	-8,5 mm	-	-
ETAGON 8	SILGRANIT®	80 cm	- 16 mm	-	-
FARON XL 6 S	SILGRANIT®	60 cm	+16 mm	42 mm	-
FAVUM 45 S	SILGRANIT®	45 cm	-5,0 mm	17 mm	-
FAVUM XL 6 S	SILGRANIT®	60 cm	-5,0 mm	17 mm	-
LANTOS 45 S-IF	Edelstahl (Stainless steel)	45 cm	+7,0 mm	23 mm	24 mm

Modell-Bezeichnung Model description	Material	Schrankbreite Cabinet width	C	I	F
LANTOS 45 S-IF Compact	Edelstahl (Stainless steel)	45 cm	+8,0 mm	11 mm	12 mm
LANTOS 45 S-IF Salto	Edelstahl (Stainless steel)	45 cm	+7,0 mm	12 mm	13 mm
LANTOS 5 S-IF	Edelstahl (Stainless steel)	50 cm	+7,0 mm	12 mm	13 mm
LANTOS II 6 S-IF	Edelstahl (Stainless steel)	60 cm	+5,0 mm	12 mm	13 mm
LANTOS XL 6 S-IF	Edelstahl (Stainless steel)	60 cm	+2,0 mm	12 mm	13 mm
LANTOS XL 6 S-IF Compact	Edelstahl (Stainless steel)	60 cm	+2,0 mm	12 mm	13 mm
LANTOS 6-IF	Edelstahl (Stainless steel)	60 cm	-6,0 mm	-	-
LANTOS 8 S-IF Compact	Edelstahl (Stainless steel)	80 cm	-7,0 mm	12 mm	13 mm
LANTOS 9 E-IF	Edelstahl (Stainless steel)	90x90 / 60 cm	mittig (central) / +89 mm	14 mm	15 mm
LEGRA 45 S	SILGRANIT®	45 cm	+0 mm	18 mm	-
LEGRA 6	SILGRANIT®	60 cm	+17,5 mm	-	-
LEGRA XL 6 S	SILGRANIT®	60 cm	-3 mm	16 mm	-
LEGRA 6 S	SILGRANIT®	60 cm	+0 mm	18 mm	-
LEGRA 6 S Compact	SILGRANIT®	60 cm	-24 mm	20 mm	-
LEMIS 45 S-IF Mini	Edelstahl (Stainless steel)	45 cm	+1,0 mm	16 mm	17 mm
LEMIS 6-IF	Edelstahl (Stainless steel)	60 cm	-2,5 mm	16 mm	17 mm
LEXA 40 S	SILGRANIT®	40 cm	-4,0 mm	27 mm	-
LEXA 45 S	SILGRANIT®	45 cm	-3,0 mm	27 mm	-
LEXA 5 S	SILGRANIT®	50 cm	-4,0 mm	24 mm	-
LEXA 6 S	SILGRANIT®	60 cm	-4,0 mm	25 mm	-
LEXA 8	SILGRANIT®	80 cm	-20,0 mm	-	-
LEXA 8 S	SILGRANIT®	80 cm	-5,0 mm	19 mm	-
LEXA 9 E	SILGRANIT®	90x90 / 80 cm	mittig (central) / -30 mm	21 mm	-
METRA 45 S	SILGRANIT®	45 cm	-3,0 mm	29 mm	-
METRA 45 S Compact	SILGRANIT®	45 cm	-3,0 mm	29 mm	-
METRA 45 S-F	SILGRANIT®	45 cm	-3,0 mm	-	36 mm
METRA 5 S	SILGRANIT®	50 cm	-3,0 mm	22 mm	-
METRA 5 S-F	SILGRANIT®	50 cm	-3,0 mm	-	29 mm
METRA 6	SILGRANIT®	60 cm	-3,0 mm	-	-
METRA 6 S	SILGRANIT®	60 cm	-3,0 mm	28 mm	-
METRA 6 S Compact	SILGRANIT®	60 cm	-10,0 mm	28 mm	-
METRA 6 S-F	SILGRANIT®	60 cm	-3,0 mm	-	35 mm
METRA 9	SILGRANIT®	90 cm	-10,0 mm	-	-
METRA XL 6 S	SILGRANIT®	60 cm	-3,0 mm	22 mm	-
METRA XL 6 S-F	SILGRANIT®	60 cm	-3,0 mm	-	29 mm
NAYA 45	SILGRANIT®	45 cm	-2,5 mm		
NAYA 5	SILGRANIT®	50 cm	-2,5 mm		
NAYA 6	SILGRANIT®	60 cm	-2,5 mm	-	-
NAYA XL 9	SILGRANIT®	90 cm	-30,0 mm	-	-
PALONA	Keramik (Ceramic)	60 cm	-4,0 mm	-	-
PLEON 5	SILGRANIT®	50 cm	-2,5 mm	-	-
PLEON 6	SILGRANIT®	60 cm	-2,5 mm	-	-
PLEON 6 Split	SILGRANIT®	60 cm	-2,5 mm	-	-
BLANCORONDO	Edelstahl (Stainless steel)	45 cm	-3,0 mm	-	-
BLANCORONDO	SILGRANIT®	45 cm	-10,0 mm	-	-
BLANCORONDOSSET	Edelstahl (Stainless steel)	60 cm	+4,5 mm	-	-
RONDOSOL	Edelstahl (Stainless steel)	45 cm	-3,0 mm	-	-
RONDOSOL-IF	Edelstahl (Stainless steel)	45 cm	-8,0 mm	-	-
SOLIS 180-IF	Edelstahl (Stainless steel)	30 cm	-45,0 mm	-	-
SOLIS 340/180-IF	Edelstahl (Stainless steel)	60 cm	-12,5 mm	-	-

Modell-Bezeichnung Model description	Material	Schrankbreite Cabinet width	C	I	F
SOLIS 340/180-IF/A	Edelstahl (Stainless steel)	60 cm	-12,5 mm	-	-
SOLIS 340-IF	Edelstahl (Stainless steel)	40 cm	-15,0 mm	-	-
SOLIS 400-IF	Edelstahl (Stainless steel)	45 cm	-10,0 mm	-	-
SOLIS 400-IF/A	Edelstahl (Stainless steel)	45 cm	-10,0 mm	-	-
SOLIS 450-IF	Edelstahl (Stainless steel)	50 cm	-10,0 mm	-	-
SOLIS 500-IF	Edelstahl (Stainless steel)	60 cm	-35,0 mm	-	-
SOLIS 500-IF/A	Edelstahl (Stainless steel)	60 cm	-35,0 mm	-	-
SONA 45 S	SILGRANIT®	45 cm	+2,0 mm	28 mm	-
SONA 5 S	SILGRANIT®	50 cm	+2,0 mm	28 mm	-
SONA 6 S	SILGRANIT®	60 cm	+2,0 mm	28 mm	-
SONA XL 6 S	SILGRANIT®	60 cm	+2,0 mm	28 mm	-
SUBLINE 320-F	SILGRANIT®	40 cm	-30,5 mm	-	-
SUBLINE 340/160-F	SILGRANIT®	60 cm	-28,0 mm	-	-
SUBLINE 400-F	SILGRANIT®	50 cm	-40,5 mm	-	-
SUBLINE 500-F	SILGRANIT®	60 cm	-40,5 mm	-	-
SUBLINE 500-IF SteelFrame	SILGRANIT®	60 cm	-34,0 mm	-	-
SUBLINE 500-IF/A SteelFrame	SILGRANIT®	60 cm	-34,0 mm	-	-
TIPO 45 S	Edelstahl (Stainless steel)	45 cm	+10,0 mm	7 mm	-
TIPO 45 S Mini	Edelstahl (Stainless steel)	45 cm	+6,0 mm	7 mm	-
TIPO 5 S	Edelstahl (Stainless steel)	50 cm	+11,5 mm	7 mm	-
TIPO II 6 S	Edelstahl (Stainless steel)	60 cm	+8,0 mm	7 mm	-
TIPO XL 6 S	Edelstahl (Stainless steel)	60 cm	-6,0 mm	3 mm	-
TOP EE 3 x 4	Edelstahl (Stainless steel)	30 cm	+6,0 mm	-	-
TOP EE 4 x 4	Edelstahl (Stainless steel)	45 cm	-16,5 mm	-	-
TOP EZ 8 x 4	Edelstahl (Stainless steel)	90 cm	-29,0 mm	-	-
TOP EZS 11 x 4	Edelstahl (Stainless steel)	80 cm	-19,0 mm	8 mm	-
TOP EZS 12 x 4-2	Edelstahl (Stainless steel)	90 cm	+1,0 mm	8 mm	-
ZENAR 45 S	Keramik (Ceramic)	45 cm	-5,0 mm	38 mm	-
ZENAR 45 S	SILGRANIT®	45 cm	+14,0 mm	26 mm	-
ZENAR 45 S-F	SILGRANIT®	45 cm	+14,0 mm	-	33 mm
ZENAR 5 S	SILGRANIT®	50 cm	+14,0 mm	26 mm	-
ZENAR 5 S-F	SILGRANIT®	50 cm	+14,0 mm	-	33 mm
ZENAR XL 6 S	Keramik (Ceramic)	60 cm	-19,0 mm	37 mm	-
ZENAR XL 6 S	SILGRANIT®	60 cm	-16,0 mm	26 mm	-
ZENAR XL 6 S Compact	SILGRANIT®	60 cm	+14,0 mm	26 mm	-
ZENAR XL 6 S-F	SILGRANIT®	60 cm	-16,0 mm	-	33 mm
ZENAR XL 6 S-F DGP	SILGRANIT®	60 cm	-16,0 mm	-	33 mm
ZIA 40 S	SILGRANIT®	40 cm	-11,0 mm	16 mm	-
ZIA 45 S	SILGRANIT®	45 cm	-10,0 mm	27 mm	-
ZIA 45 S Compact	SILGRANIT®	45 cm	-12 mm	34 mm	-
ZIA 45 S	Edelstahl (Stainless steel)	45 cm	+12,0 mm	7 mm	-
ZIA 5 S	Edelstahl (Stainless steel)	50 cm	+12,0 mm	8 mm	-
ZIA 5 S	SILGRANIT®	50 cm	-10,0 mm	19 mm	-
ZIA 6 S	Edelstahl (Stainless steel)	60 cm	+4,0 mm	8 mm	-
ZIA 6 S	SILGRANIT®	60 cm	-11,0 mm	19 mm	-
ZIA XL 6 S	SILGRANIT®	60 cm	-10,0 mm	19 mm	-
ZIA XL 6 S Compact	SILGRANIT®	60 cm	-10,0 mm	19 mm	-
ZIA 9 E	SILGRANIT®	90x90 / 60 cm	mittig (central) / +125 mm	14 mm	-